TRANSPORTATION POOLED FUND PROGRAM QUARTERLY PROGRESS REPORT

Federal Highway Administration (FHWA)

Lead Agency (FHWA or State DOT):

INSTRUCTIONS:

Project Managers and/or research project investigators should complete a quarterly progress report for each calendar quarter during which the projects are active. Please provide a project schedule status of the research activities tied to each task that is defined in the proposal; a percentage completion of each task; a concise discussion (2 or 3 sentences) of the current status, including accomplishments and problems encountered, if any. List all tasks, even if no work was done during this period.

Transportation Pooled Fund Program Project # (<i>i.e., SPR-2(XXX), SPR-3(XXX) or TPF-5(XXX</i>)		Transportation Pooled Fund Program - Report Period:		
		☑ Quarter 1 (January	1 – March 31)	
TPF-5(178)		□Quarter 2 (April 1 –	June 30)	Year: 2015
		Quarter 3 (July 1 – September 30)		
		□Quarter 4 (October 1 – December 31)		
Project Title:				
Implementation of the Asphalt Mixture Performance Tester (AMPT) for Superpave Validation				
Name of Project Manager(s):	Phone Number:		E-Mail	
Jeff Withee	202-366-6429		jeff.withee(@dot.gov
Lead Agency Project ID:	Other Project ID (i.e., contract #):		Project Start Date	:
			Septemb	er 2008
Original Project End Date:	Current Project End Date:		Number of Extens	sions:
September 2011	Dee	cember 2015		
Project schedule status:				

□ On schedule	n revised schedule
---------------	--------------------

□ Behind schedule

Overall Project Statistics:

Total Project Budget	Total Cost to Date for Project	Percentage of Work Completed to Date
\$3,952,940	\$2,991,292	76%

□ Ahead of schedule

Quarterly Project Statistics:

Total Project Expenses	Total Amount of Funds	Total Percentage of	
and Percentage This Quarter	Expended This Quarter	Time Used to Date	
0%	\$0	90%	

Project Description:

This pooled fund study is open to any highway agency interested in using simple performance tests to aid in material characterization for design and analysis of flexible pavements. The objectives of this pooled fund study are to:

1) Nationally procure the AMPT for highway agencies interested in obtaining and using the AMPT to characterize asphalt mixtures designed using Superpave technology

2) Provide support in training technicians to use the AMPT to perform the proposed standard practices for measuring dynamic modulus, flow number, and flow time of asphalt mixtures compacted using the Superpave Gyratory Compactor (SGC)

3) Advance the nation-wide implementation and use of the AMPT for assessing performance of asphalt mixtures over a wide range of climatic conditions, materials, and structures.

Progress this Quarter (includes meetings, work plan status, contract status, significant progress, etc.):

- Work on implementation phase activities continued through a cooperative agreement between FHWA and the National Center for Asphalt Technology (NCAT.)

+ Friction Reducer Study: A final report (NCAT Report 15-01) has been issued documenting the findings of this study. Additionally, recommendations from this report have been developed into proposed revisions to AASHTO TP 79 Annex A regarding greased latex friction reducers. The revisions are being submitted to AASHTO SOM Tech Section 2d for their consideration.

- Work on implementation phase activities continued through a cooperative agreement between FHWA and the Asphalt Institute.

+ Specimen Fabrication Ruggedness Study: Summary results were presented at the Asphalt Mixture ETG in April 2015.

+ Fatigue Testing Study: Summary results were presented at the Asphalt Mixture ETG in April 2015.

- One AMPT was delivered and installed for DE. This marks the completion of AMPT procurement and delivery as all contract options for AMPT equipment have now been exercised.

Anticipated work next quarter:

- Work on the implementation support activities will continue with the National Center for Asphalt Technology. Details for the next quarter are listed after each activity.

+ Friction Reducer Study: Work on this study has been completed.

- Work on the implementation support activities will continue with the Asphalt Institute. Details for the next quarter are listed after each activity.

- + Specimen Fabrication Ruggedness Study: Final work is done and a final report will be developed.
- + Fatigue Testing Study: Final data analysis will be completed with a report pending.

Significant Results:

- A total of 57 technicians and engineers from pooled fund participating agencies and 82 overall have been trained on the Asphalt Mixture Performance Tester through NHI Course # 131118.

- Twenty-nine (29) AMPTs have been ordered, delivered, and installed for pooled fund participant agencies.

- The National Pooled-Fund Workshop on the AMPT brought together over 70 members of the AMPT user community representing state DOTs, consultants, equipment vendors, universities, and FHWA to share best practices and identify future AMPT implementation needs.

- A synthesis report titled "Use of AMPT for Characterizing Asphalt Material Inputs for Pavement ME Design Implementation" was completed to document best practices. (NCAT Report 13-04)

- The AMPT Pooled-Fund Interlaboratory Study was completed and a final report on testing variability and investigation of air void effects is available. (NCAT Report 14-01)

- A report titled "Comparing Friction Reducers for Use in AMPT Testing" recommends allowing spray silicone for fabricating greased latex friction reducers for use in AMPT testing. (NCAT Report 15-01)

Circumstance affecting project or budget. (Please describe any challenges encountered or anticipated that might affect the completion of the project within the time, scope and fiscal constraints set forth in the agreement, along with recommended solutions to those problems).

Potential Implementation:

The AMPT evaluates asphalt mixture properties to assess potential performance. Transportation agencies can use the AMPT to: develop inputs for the structural design of flexible pavements, evaluate new asphalt mixtures including warm mix asphalt (WMA), high reclaimed asphalt pavement (RAP) mixes, and recycled asphalt shingles (RAS) mixes, and obtain information helpful in monitoring asphalt mixes and performing quality assurance.