TRANSPORTATION POOLED FUND PROGRAM QUARTERLY PROGRESS REPORT

Lead Agency (FHWA or State DOT): _	<u>FHWA</u>			
INSTRUCTIONS: Project Managers and/or research project invertion quarter during which the projects are active. For each task that is defined in the proposal; a per the current status, including accomplishments during this period.	Please provide rcentage comp	e a project schedule state pletion of each task; a co	us of the research activities tied to oncise discussion (2 or 3 sentences) of	
Transportation Pooled Fund Program Project #		Transportation Pooled Fund Program - Report Period:		
		√Quarter 1 (January 1 – March 31) 2014		
TPF-5(164)		□Quarter 2 (April 1 – June 30) 2014		
		□Quarter 3 (July 1 – September 30) 2014		
		□Quarter 4 (October 1 – December 31) 2014		
Project Title: Fish Passage in Large Culverts with Low Flow				
Name of Project Manager(s):	Phone Number:		E-Mail	
Kornel Kerenyi	(202) 493-3142		kornel.kerenyi@fhwa.dot.gov	
Lead Agency Project ID:	Other Project ID (i.e., contract #):		Project Start Date:	
Original Project End Date:	Current Project End Date:		Number of Extensions:	
Project schedule status:				
$$ On schedule \square On revised schedule	☐ Ahead of schedule ☐ Behind schedule			
Overall Project Statistics:				
Total Project Budget	Total Cost	t to Date for Project	Percentage of Work Completed to Date	
			•	
Quarterly Project Statistics:				
Total Project Expenses	Total Amount of Funds		Total Percentage of	
and Percentage This Quarter	Expended This Quarter		Time Used to Date	

Project Description:

A primary objective of this aspect of the fish passage study is to determine the local velocities and flow distributions in corrugated metal pipes and pipe arches. This information is proposed for use to supplement the guidance in the publication FHWA- NHI 01-020 Hydraulic Design of Highway Culverts, Hydraulic Design Series No. 5. Conventional open-channel culvert hydraulics provides the tools and software needed to compute the average velocity of flow at any culvert cross-section for higher flows, given the culvert shape, roughness, slope and boundary conditions. In order to more accurately evaluate the ability of fish to traverse corrugated metal culverts, it is desirable to look at the changes in the local average velocity of the flow adjacent to the culvert wall under low flow conditions. Other studies have documented the tendency of fish to seek out a swimming location with the lowest velocity of flow. The location of lowest velocity can generally be found immediately adjacent to the culvert wall.

The specific objectives of this task order are to develop local average velocity design charts for various hydraulic conditions in support of the "Fish Passage in large Culverts for low Flows" study, which will be incorporated into the FHWA publication HEC-26 "Culvert Design for Aquatic Organism Passage".

Progress this Quarter (includes meetings, work plan status, contract status, significant progress, etc.):

- Procedure and examples were further developed and refined.
- A draft of final report was composed in compliant with FHWA publication guidelines and requirements.
- The report draft was circulated for comments and questions.

Anticipated work next quarter:

- Implement recommendations from reviewers as needed.
- Final publication of the report.

Circumstance affecting project or budget. (Please describe any challenges encountered or anticipated that might affect the completion of the project within the time, scope and fiscal constraints set forth in the agreement, along with recommended solutions to those problems).

Potential Implementation:

Significant Results:

Additional design aids that may be incorporated into FHWA HEC-26 "Culvert Design for Aquatic Organism Passage".